




cgp evolved picture

Cartesian Genetic Programming in a nutshell



cgp evolved picture

Julian F. Miller
Dept of Electronics
<http://www.elec.york.ac.uk>
University of York, UK

Home site
<http://www.cartesiangp.co.uk>


1

What is CGP?

- ❖ CGP is a form of automatic computer program evolution (which itself is generally known as genetic programming).
- ❖ CGP was developed from work on the evolution of digital circuits, by Miller and Thomson 1997. First actual mention of the term *Cartesian Genetic Programming* appeared at the GECCO conference in 1999.
- ❖ The genotype is a list of **integers** (and possibly parameters) that represent the program primitives and how they are connected together
 - CGP represents programs as *graphs* in which there are explicit *non-coding genes*
 - CGP allows program to be evolved with more than one output
- ❖ The genes are
 - Addresses in data (connection genes)
 - Addresses in a look up table of functions (function genes)
 - Additional parameters (possibly)
- ❖ CGP easily encodes computer programs, electronic circuits, neural networks, mathematical equations and other computational structures.
- ❖ It allows a form of Darwinian evolution to evolve solutions to problems automatically and efficiently. In a sense it is an invention machine and can find unusual and efficient solutions to many problems in many fields of science.

2


CGP General form



Note: Nodes in the same column are not allowed to be connected to each other

3

CGP genotype



Connection genes

Usually, all functions have as many inputs as the *maximum* function arity

Unused connections are ignored


CGP has three parameters: number of columns, number of rows and levels-back. These control the layout and connectivity of nodes

4

Example

Function look-up table


Function gene (address)	Action
<u>0</u>	Add
<u>1</u>	Subtract
<u>2</u>	Multiply
<u>3</u>	Divide (protected)



Genotype

0 0 1 1 0 0 1 3 1 2 0 1 0 4 4 2 5 4 2 5 7 3

So what does the genotype represent?



$$y_2 = x_0 + x_1$$

$$y_5 = x_0 * x_1$$

$$y_7 = -x_0 * x_1^2$$

$$y_3 = 0$$

The CGP genotype-phenotype map

- ❖ When you decode a CGP genotype many nodes and their genes can be ignored because they are not referenced in the path from inputs to outputs
- ❖ These genes can be altered and make no difference to the *phenotype*, they are non-coding
- ❖ Clearly there is a many-to-one genotype to phenotype map

7

Decoding CGP chromosomes requires 4 simple steps

```
// L = MaxGraph.Length
// I = Number of program inputs
// N = Number of program outputs
bool      ToEvaluate[L]
double    NodeOutput[L+I]
```

1

```
// identify initial nodes that need to be evaluated
```

```
p = 0
do
  ToEvaluate[OutputGene[p]] = true
  p = p + 1
while (p < N)
```

2

```
// work out which nodes are used
```

```
p = L-1
do
  if (ToEvaluate[p])
    x = Node[p].Connection1
    y = Node[p].Connection2
    ToEvaluate[x] = true
    ToEvaluate[y] = true
  endif
  p = p - 1
while (p >= 0)
```

```
//Execute graph
```

```
p = 0
do
  if (ToEvaluate[p])
    x = Node[p].Connection1
    y = Node[p].Connection2
    z = NodeFunction[p].Function
    NodeOutput[p+I] = ComputeNode(NodeOutput[x], NodeOutput[y],z)
  endif
  p = p + 1
while (p < L)
```

4

```
// load input data values
```

```
p = 0
do
  NodeOutput[p] = InputData[p]
  p = p + 1
while (p < I)
```

3

8

Point mutation


- ❖ Most CGP implementations only use mutation.
- ❖ Carrying out mutation is very simple. It consists of the following steps.

The genes must be chosen to be valid alleles

```
//Decide how many genes to change:num_mutations
while (mutation_counter < num_mutations)
{
    get gene to change
    if (gene is a function gene)
        change gene to randomly chosen new valid function
    else if (gene is a connection gene)
        change gene to a randomly chosen new valid connection
    else
        change gene to a new valid output connection
}
```

9

Genotypes are evolved with an Evolutionary Strategy



- ❖ CGP often uses a variant of a simple algorithm called (1 + 4) Evolutionary Strategy
 - However, an offspring is always chosen if it *is equally as fit* or has better fitness than the parent (most important)

10